

| SL. NO. | TEST PARAMETERS :- PHYSICAL LAB        |
|---------|----------------------------------------|
| 1       | SHOE FLEXING AT ROOM TEMPERATURE       |
| 2       | CASUAL SHOES                           |
| 3       | SHOE FLEXING AT LOW TEMPERATURE        |
| 4       | HEEL ATTACHMENT STRENGTH TEST          |
| 5       | STRAP ATTACHMENT                       |
| 6       | STRENGTH OF ATTACHMENT OF BOWS & TRIMS |
| 7       | SATRA SOLE ADHESION TEST               |
| 8       | 16 POINT BONDABILITY TEST              |
| 9       | LEAKAGE RESISTANCE                     |
| 10      | SLIP RESISTANCE FOR SAFETY             |
| 11      | SLIP RESISTANCE AS PER SATRA           |
| 12      | HIGH VOLTAGE                           |
| 13      | THONG ATTACHMENT                       |
| 14      | TOP PIECE ATTACHMENT                   |
| 15      | HEEL IMPACT                            |
| 16      | HEEL FATIGUE                           |
| 17      | PEEL STRENGTH                          |
| 18      | VISUAL OBSERVATION                     |
| 19      | FLEXING RESISTANCE AT ROOM TEMPERATURE |
| 20      | FLEXING RESISTANCE AT LOW TEMPERATURE  |
| 21      | TENSILE STRENGTH & EXTENSION AT BREAK  |
| 22      | SEAM STRENGTH/STITCH TEAR              |
| 23      | INDUCED TEAR STRENGTH                  |
| 24      | TONGUE TEAR                            |
| 25      | GRAIN CRACK INDEX                      |
| 26      | BURST STRENGTH                         |
| 27      | ADHESION OF COATING (SYNTHETICS)       |
| 28      | DYNAMIC WATER RESISTANCE               |
| 29      | BREAK PIPINESS                         |
| 30      | WRINKLEOMETER TEST                     |
| 31      | SURFACE WATER ABSORPTION               |
| 32      | WATER VAPOUR PERMEABILITY              |
| 33      | WATER VAPOUR COEFFICIENT               |
| 34      | TABER ABRASION                         |
| 35      | LIGHT FASTNESS                         |
| 36      | WET/DRY/SOLVENT RUB FASTNESS           |
| 37      | COLOUR MIGRATION                       |
| 38      | SHRINKAGE TEST                         |
| 39      | FUNGUS GROWTH                          |
| 40      | COLD CRACK TEMPERATURE                 |

|    |                                                                 |
|----|-----------------------------------------------------------------|
| 41 | MARTINDALE ABRASION                                             |
| 42 | VAMP FLEXING FOR DRY/WET/COLD                                   |
| 43 | PVC MIGRATION TEST                                              |
| 44 | IDENTIFICATION OF LEATHER                                       |
| 45 | COLOUR FASTNESS TO PERSPIRATION                                 |
| 46 | FINISH ADHESION TEST                                            |
| 47 | SPECIFIC GRAVITY/DENSITY                                        |
| 48 | TENSILE STRENGTH & ELONGATION AT BREAK                          |
| 49 | HARDNESS                                                        |
| 50 | ROSS/BENNEWART FLEXING INDEX AT ROOM TEMP.                      |
| 51 | ROSS/BENNEWART FLEXING INDEX AT LOW TEMP.                       |
| 52 | SATRA/BATA BELT FLEXING                                         |
| 53 | OIL SWELLING                                                    |
| 54 | COMPRESSION SET                                                 |
| 55 | SPLIT TEAR STRENGTH                                             |
| 56 | DIE C" TEAR TEST"                                               |
| 57 | HEAT SHRINKAGE                                                  |
| 58 | % VOLATILE LOSS                                                 |
| 59 | ABRASION                                                        |
| 60 | BOND STRENGTH (RAW MATERIAL)                                    |
| 61 | BOND STRENGTH (PREPARED SAMPLE)                                 |
| 62 | LIGHT FASTNESS (PLASTICS / RUBBERS/ PU FOAMS/ SOLING MATERIALS) |
| 63 | DYNAMIC WATER RESISTANCE (LEATHER)                              |
| 64 | GRAIN CRACK INDEX (SOLE LEATHER)                                |
| 65 | TEAR STRENGTH                                                   |
| 66 | CHEMICAL RESISTANCE PER CHEMICAL                                |
| 67 | HARDNESS OF PU FOAMS(SEATS)                                     |
| 68 | BLOOMING TEST                                                   |
| 69 | TENSILE STRENGTH                                                |
| 70 | FLEXING INDEX                                                   |
| 71 | SPLIT TEAR STRENGTH (INSOLE)                                    |
| 72 | WATER UPTAKE/LOSS                                               |
| 73 | RUB FASTNESS DRY/WET EACH                                       |
| 74 | SURFACE WATER ABSORPTION (INSOLE)                               |
| 75 | LAMINAR STRENGTH                                                |
| 76 | SHEAR STRENGTH                                                  |
| 77 | HEEL PIN HOLDING STRENGTH                                       |
| 78 | SCUFF/ABRASION RESISTANCE                                       |
| 79 | PEEL STRENGTH (INSOLES)                                         |
| 80 | LONGITUDINAL STIFFNESS                                          |
| 81 | STITCH TEAR OF INSOLE                                           |

|     |                                                    |
|-----|----------------------------------------------------|
| 82  | SHRINKAGE (INSOLE)                                 |
| 83  | ELONGATION AT BREAK                                |
| 84  | CHANGE IN AREA                                     |
| 85  | BONDABILITY                                        |
| 86  | PEEL STRENGTH (ADHESIVE)                           |
| 87  | HEAT RESISTANCE                                    |
| 88  | SHEAR STRENGTH (ADHESIVE)                          |
| 89  | HEEL PIN HOLDING STRENGTH (HEELS)                  |
| 90  | RESISTANCE TO SPLITTING                            |
| 91  | STRENGTH OF TOP PIECE ATTACHMENT OF HEEL           |
| 92  | ROCKWELL HARDNESS C                                |
| 93  | LONGITUDINAL STIFFNESS (SHANK)                     |
| 94  | THREE POINT BENDING                                |
| 95  | BREAKING LOAD AND EXTENSION AT BREAK               |
| 96  | TWIST PER UNIT LENGTH                              |
| 97  | TENACITY                                           |
| 98  | TEX                                                |
| 99  | COLOUR FASTNESS                                    |
| 100 | COMPOSITION                                        |
| 101 | BALANCE OF TWIST                                   |
| 102 | THREAD ABRASION                                    |
| 103 | BONDABILITY (SELF-ADHESIVE TAPES)                  |
| 104 | ELASTICITY (ELASTIC TAPES)                         |
| 105 | COLOUR MIGRATION (TAPES & BINDINGS)                |
| 106 | BREAKING STRENGTH                                  |
| 107 | ENDURANCE TEST ON ELASTIC TAPES                    |
| 108 | RESISTANCE TO REPEATED OPENING & CLOSING           |
| 109 | LATERAL STRENGTH OF SLIDE FASTENERS                |
| 110 | STRENGTH OF SLIDE FASTENER PULLERS                 |
| 111 | ATTACHMENT OF SLIDE FASTENER TOP STOPS             |
| 112 | ATTACHMENT OF SLIDE FASTENER BOTTOM STOPS          |
| 113 | SLIDER LOCKING STRENGTH OF SLIDE FASTENERS         |
| 114 | SECURITY OF ATTACHMENT OF RETAINER TO LATERAL LOAD |
| 115 | SECURITY OF ATTACHMENT OF RETAINER TO LONG. LOAD   |
| 116 | TENSILE/ BREAKING FORCE OF BUCKLES                 |
| 117 | TEAR STRENGTH (FASTENERS)                          |
| 118 | PEEL STRENGTH (VELCRO)                             |
| 119 | SHEAR STRENGTH(VELCRO)                             |
| 120 | CORROSION (METAL FASTENERS)                        |
| 121 | EYELET ATTACHMENT STRENGTH                         |
| 122 | STRENGTH OF FASTENED BUCKLES                       |

|     |                                                                       |
|-----|-----------------------------------------------------------------------|
| 123 | STRENGTH OF BUCKLE AND STRAP ATTACHMENT                               |
| 124 | CORROSION RESISTANCE (FOR THE FIRST SAMPLE)                           |
| 125 | CORROSION RESISTANCE (FOR SUBSEQUENT THREE SAMPLES)                   |
| 126 | LINEAR DENSITY                                                        |
| 127 | BREAKING STRENGTH & ELONGATION AT BREAK                               |
| 128 | STRENGTH OF BODKIN ATTACHMENT                                         |
| 129 | ABRASION RESISTANCE                                                   |
| 130 | KNOT RESISTANCE                                                       |
| 131 | COLOUR MIGRATION (LACE)                                               |
| 132 | HARDNESS OF STEEL TOE CAP                                             |
| 133 | NAIL PENETRATION TEST                                                 |
| 134 | DIMENSIONS OF STEEL TOE CAP                                           |
| 135 | IMPACT STRENGTH OF STEEL TOE CAPS                                     |
| 136 | THERMAL CONDUCTIVITY                                                  |
| 137 | STATIC ELECTRICITY WITHOUT CONDITIONING                               |
| 138 | RESISTANCE TO HOT CONTACT                                             |
| 139 | COMPRESSION RESISTANCE                                                |
| 140 | METAL INSERT FLEXING                                                  |
| 141 | COLD INSULATION TEST                                                  |
| 142 | HEAT INSULATION                                                       |
| 143 | ACID RESISTANCE FOOTWEAR WITH DIFFERENT CHEMICALS (UPTO 20 CHEMICALS) |
| 144 | ESD FOOTWEAR TEST                                                     |
| 145 | ENERGY ABSORPTION                                                     |
| 146 | SPECIFIC WEIGHT                                                       |
| 147 | TONGUE TEAR STRENGTH                                                  |
| 148 | RUB FASTNESS DRY/WET                                                  |
| 149 | SAMINAR STRENGTH (CARD BOARD BOXES)                                   |
| 150 | BURST STRENGTH (CARD BOARD BOXES)                                     |
| 151 | STRAP ATTACHMENT STRENGTH                                             |
| 152 | BREAKING STRENGTH OF STRAP                                            |
| 153 | ROSS FLEXING                                                          |
| 154 | ABRASION (HAWAI CHAPPAL)                                              |
| 155 | SPLIT TEAR                                                            |
| 156 | COMPRESSION SET (HAWAI CHAPPAL)                                       |
| 157 | SHRINKAGE (HAWAI CHAPPAL)                                             |
| 158 | BREAKING STRENGTH (TEXTILES)                                          |
| 159 | COLOUR FASTNESS TO WASHING                                            |
| 160 | COLOUR FASTNESS TO PERSPIRATION(ACIDIC/ALKALINE EACH)                 |
| 161 | COMPOSITION (TEXTILE)                                                 |
| 162 | LINEAR DENSITY OF YARN/ COUNT                                         |
| 163 | SCOURING LOSS                                                         |

|     |                                         |
|-----|-----------------------------------------|
| 164 | COLOUR FASTNESS TO LIGHT                |
| 165 | IDENTIFICATION OF FIBER                 |
| 166 | DIMENSIONAL STABILITY                   |
| 167 | THREADS PER UNIT LENGTH IN WOVEN FABRIC |
| 168 | WEIGHT PER SQUARE METER                 |
| 169 | CREASE RECOVERY                         |
| 170 | DRY CLEANING                            |
| 171 | ASH TEST                                |
| 172 | PH                                      |
| 173 | WATER SOLUBLE                           |
| 174 | CONE TEST                               |
| 175 | WATER ABSORPTION                        |
| 176 | HOT PRESSING                            |
| 177 | BLEACHING TEST                          |
| 178 | CROCKING TEST                           |
| 179 | AGEING TESTS -UP TO 24 HOURS(1 DAY)     |
| 180 | AGEING TESTS -UP TO 72 HOURS(3 DAYS)    |
| 181 | AGEING TESTS -UP TO 120 HOURS(5 DAYS)   |
| 182 | AGEING TESTS -UP TO 168 HOURS(7 DAYS)   |
| 183 | AGEING TEST - UP TO 240 HOURS( 10 DAYS) |
| 184 | AGEING TEST - UP TO 336 HOURS( 14 DAYS) |
| 185 | COLD TEST - UP TO 24 HOURS(1 DAY)       |
| 186 | COLD TEST - UP TO 72 HOURS(3 DAYS)      |
| 187 | COLD TEST - UP TO 120 HOURS(5 DAYS)     |
| 188 | COLOUR IMPACT                           |
| 189 | HEAT AGEING TEST (UPTO 24 HRS.)         |
| 190 | WETHEROMETER TEST EXPOSURE UPTO 15 HRS. |
| 191 | * EXPOSURE UPTO 40 HRS.                 |
| 192 | * EXPOSURE UPTO 80 HRS.                 |
| 193 | * EXPOSURE UPTO 250 HRS.                |
| 194 | * EXPOSURE UPTO 500 HRS.                |
| 195 | * EXPOSURE UPTO 1000 HRS.               |
| 196 | HEAT CYCLES(MOTHERSON)                  |
| 197 | HEAT AGEING FOR 7 DAYS                  |
| 198 | ENVIRONMENTAL CYCLING                   |
| 199 | INDENTATION HARDNESS                    |
| 200 | EXPOSURE UPTO 1500HRS                   |
| 201 | VESLIC RUBBING 100000CYCLES             |
| 202 | THERMAL SHOCKFOR2CY                     |
| 203 | AZO DYES                                |
| 204 | PENTACHLOROPHENOL(PCP)                  |

|     |                                    |
|-----|------------------------------------|
| 205 | PCP+TECP                           |
| 206 | PCP+TCP                            |
| 207 | TECP+TCP                           |
| 208 | PCP+TECP+TCP                       |
| 209 | CHROMIUM-VI                        |
| 210 | FORMALDEHYDE                       |
| 211 | PH VALUE                           |
| 212 | MOISTURE CONTENT                   |
| 213 | SOLVENT EXTRACTABLE MATTER         |
| 214 | CHROME CONTENT                     |
| 215 | ASH CONTENT                        |
| 216 | PLASTICIZER CONTENT                |
| 217 | WATER SOLUBLE MATTER               |
| 218 | HEAVY METALS                       |
| 219 | ANY ONE METAL                      |
| 220 | LEAD CONTEN AS PER IS 12254        |
| 221 | FREE FATTY ACID CONTENT            |
| 222 | NICKLE FREE                        |
| 223 | CHROMIUM VI AFTER AGING            |
| 224 | BIELSTIN TEST                      |
| 225 | PCB                                |
| 226 | BHT QUALITATIVE                    |
| 227 | BHT QUANTITATIVE                   |
| 228 | ORGANOTIN COMPOUNDS                |
| 229 | ORGANO TIN COMPOUNDS(TWO ONLY)     |
| 230 | ORGANOTIN COMPOUNDS(ONE ONLY)      |
| 231 | DISPERSE DYES ALLERGENIC           |
| 232 | DISPERSE DYES CARCINOGENIC         |
| 233 | DIOXINS                            |
| 234 | FURANS                             |
| 235 | PESTICIDES                         |
| 236 | SOLVENT ANALYSIS BY GCMS/HS        |
| 237 | PHTHALATES                         |
| 238 | CHLORINATED ORGANIC CARRIERS(COCS) |
| 239 | N-NITOAMINES                       |
| 240 | ODOUR TEST                         |
| 241 | CHLOROALKANES                      |
| 242 | DIMETHYL FORMAMIDE                 |
| 243 | BLUE COLORANTS NAVY                |
| 244 | POLYAROMATIC HYDROCARBONS(PAH)     |
| 245 | VINYL CHLORIDE MONOMERS            |

|     |                                                 |
|-----|-------------------------------------------------|
| 246 | VOLATILE ORGANIC COMPOUNDS                      |
| 247 | PFOA,PFOS,PFOSA                                 |
| 248 | ANY ONE(PFOA,PFOS,PFOSA)                        |
| 249 | AP AND ITS APEO                                 |
| 250 | AP OR APEO                                      |
| 251 | FLAME RETARDANTS                                |
| 252 | SCCP C-10-C13                                   |
| 253 | DIMETHYL FUMERATE                               |
| 254 | TCMTB(2-THIO CYANATO METHYL THIO-1,3-BENZOAZOLE |
| 255 | BISPHENOL A                                     |
| 256 | EN 71 PART 3 TOXICITY 19 ELEMENTS               |
| 257 | REACH-SVHC TEST                                 |
| 258 | MCCPS                                           |
| 259 | ROHS-6                                          |
| 260 | NICKLE RELEASE                                  |
| 261 | OPP                                             |
| 262 | DEGREE OF TANNAGE                               |
| 263 | HIDE SUBSTANCE                                  |
| 264 | TOTAL POLYMER CONTENT                           |
| 265 | CARBON BLACK                                    |
| 266 | ZINC OXIDE                                      |
| 267 | RUBBER HYDROCARBONS                             |
| 268 | FLOOR MARKING                                   |
| 269 | DESIGNING-STUCKON                               |
| 270 | PACKAGE PRICE FOR SCHOOL SHOES                  |
| 271 | HDP BOOT- PACKAGE PRICE                         |
| 272 | DVS BOOT-PACKAGE PRICE                          |
| 273 | PT SHOES-PACKAGE PRICE                          |
| 274 | FIRE RETARDANT TEST                             |
| 275 | MARTINDAL ABRASION                              |
| 276 | JUNGLE BOOT-PACKAGE PRICE >=5                   |
| 277 | JUNGLE BOOT - PACKAGE PRICE <5                  |
| 278 | RUNNING SHOES - PACKAGE PRICE >=5               |
| 279 | RUNNING SHOES - PACKAGE PRICE <5                |
| 280 | TACTICAL BOOT - PACKAGE PRICE >=5               |
| 281 | TACTICAL BOOT - PACKAGE PRICE<5                 |
| 282 | ANKLE BOOT -PACKAGE PRICE >=5                   |
| 283 | ANKLE BOOT - PACKAGE PRICE <5                   |
| 284 | OXFORD/DERBY SHOES - PACKAGE PRICE >=5          |
| 285 | OXFORD/DERBY SHOES - PACKAGE PRICE <5           |
| 286 | SAFETY SHOE - IS 15298                          |

|     |                                                  |
|-----|--------------------------------------------------|
| 287 | CORROSION TEST                                   |
| 288 | SPECIFIC ERGONOMIC FEATURES                      |
| 289 | ELECTRICAL RESISTANCE WITHOUT CONDITIONING       |
| 290 | HYDROLYSIS TEST ON SOLING                        |
| 291 | DIMENSIONAL CONFORMITY(STEEL INSERT)             |
| 292 | WATER RESISTANCE (ISO 20344)                     |
| 293 | FLEXING TEST FOR METAL INSERT                    |
| 294 | TESTS AS SPECIFICATION (GUJRAT)                  |
| 295 | DUTY CHARGES TO FEDEX                            |
| 296 | METATARSAL                                       |
| 297 | TOE SHAPE RETENTION                              |
| 298 | IS 15298 OCCUPATIONAL SHOE                       |
| 299 | PACKAGE FOR NORTHERN COALFIELD FOR RUBBER CANVAS |
| 300 | PACKAGE FOR NORTHERN COAL FIELD FOR RUBBER KNEE  |
| 301 | COMPRESSION ON SAFETY                            |
| 302 | OCCUPATIONAL FOOTWEAR                            |
| 303 | HEAT INSULATION >150 DEG.                        |
| 304 | SAFETY 1989 FOR RITES PACKAGE                    |
| 305 | PACKAGE FOR RITES AS PER 2004                    |
| 306 | ENVIROMENTAL TREATMENT                           |
| 307 | LIGHT RUNNING SHOES                              |
| 308 | AS PER 11226                                     |
| 309 | AS PER IS15298                                   |
| 310 | HYDROLYSIS FOR 6 WEEK                            |
| 311 | GUM BOOT AS PER SAFETY STANDARD                  |
| 312 | CUT RESISTANCE                                   |
| 313 | GUMBOOT 12254 BIS                                |
| 314 | BIS 15298-P2 CLASSIFICATION - II                 |
| 315 | PACKAGE PRICE FOR IS 15298AS PER IS              |
| 316 | PACKAGE PRICE -SAFETY SHOE (PHYSICAL)            |
| 317 | AAI PACKAGE FOR FIRE BOOT10                      |
| 318 | AS PER IS 15298 2002 FOR RITES                   |
| 319 | PACKAGE PRICE FOR KP AMMUNITIONBOOT              |
| 320 | PACKAGE PRICE KP OXFORD SHOES                    |
| 321 | PACKAGE PRICE KP FOR JUNGLE BOOT                 |
| 322 | PACKAGE PRICE FOR KP FOR LADIES SHOE             |
| 323 | METAL FLEXINF UPTO 10 LAKH                       |
| 324 | AS PER DP SPECIFICATION                          |
| 325 | AS PER BESCOM PACKAGE                            |
| 326 | PACKAGE PRICE FOR SPORTS SHOE 10                 |
| 327 | GLOVES                                           |

|     |                                                                   |
|-----|-------------------------------------------------------------------|
| 328 | PACKAGE FOR FIREMAN BOOT                                          |
| 329 | AS PER IS 15298 2011                                              |
| 330 | PACKAGE PRICE FOR KRLY                                            |
| 331 | NOTE BOOK-PACKAGE PRICE                                           |
| 332 | SCHOOL DIARY-PACKAGE PRICE                                        |
| 333 | TOTAL EXTRACTION BY SOXHLET                                       |
| 334 | CAPACITY VERIFICATION                                             |
| 335 | SLIP RESISTANCE - M/C RENT                                        |
| 336 | JUNGLE BOOT-PACKAGE PRICE                                         |
| 337 | TOE POST PULL TEST                                                |
| 338 | V SHAPE TEAR STRENGTH                                             |
| 339 | LACE TAG RETENSION                                                |
| 340 | STATIC ELECTRICITY                                                |
| 341 | BOND TEST WITH GRAPH                                              |
| 342 | HYDROLYSIS AS PER NAOH                                            |
| 343 | LAB COURSE                                                        |
| 344 | RENT                                                              |
| 345 | TENSILE STRENGTH OF BAND (ZIPS)                                   |
| 346 | INDUCED TEAR RESISTANCE OF BAND (ZIPS)                            |
| 347 | TRANSVERSE STRENGTH (ZIPS)                                        |
| 348 | OPENING RESISTANCE (ZIPS)                                         |
| 349 | OPENING & CLOSING (ZIP)                                           |
| 350 | GRIP PULL OFF TEST (ZIPS)                                         |
| 351 | SHEAR RESISTANCE (TOUCH & CLOSE)                                  |
| 352 | SHEAR RESISTANCE AFTER REPEATED OPENING & CLOSING (TOUCH & CLOSE) |
| 353 | PEEL STRENGTH (TOUCH & CLOSE)                                     |
| 354 | PEEL RESISTANCE AFTER REPEATED OPENING & CLOSING (TOUCH & CLOSE)  |
| 355 | TENSILE STRENGTH (METAL FASTENERS)                                |
| 356 | TENSILE STRENGTH OF VELCRO                                        |
| 357 | TROUSER TEAR OF VELCRO                                            |
| 358 | STITCH TEAR OF VELCRO                                             |
| 359 | LATERAL STRENGTH                                                  |
| 360 | PULLER ATTACHMENT STRENGTH                                        |
| 361 | ATTACHMENT OF TOPSTOP                                             |
| 362 | ATACHMENT OF BOTTOM STOP                                          |
| 363 | SLIDER LOCKING STRENGTH                                           |
| 364 | SECURITY OF RETAINER TO LATERAL LOAD                              |
| 365 | SECURITY OF RETAINER TO LOGITUDINAL LOAD                          |
| 366 | DIMENSIONS                                                        |
| 367 | SECURITY OF FOLD OVER TEXTILE CHAIN                               |
| 368 | REPEATED EXTENSION AS TM103                                       |

|     |                                                  |
|-----|--------------------------------------------------|
| 369 | FASTENER BOX STRENGTH                            |
| 370 | CROSSWISE PIN STRENGTH                           |
| 371 | TOATL PACKAGEAS PER SATRA TM-83                  |
| 372 | SLIDE STABILTY                                   |
| 373 | PRINT RESISTANCE                                 |
| 374 | SULPH                                            |
| 375 | GOGGLES TEST PACKAGE UN MISSION                  |
| 376 | NEEDLE PULL OUT                                  |
| 377 | TEST ON SCHOOL BAG                               |
| 378 | BONDABILITY (SELF ADHESIVE TAPES)                |
| 379 | COLOUR MIGRATION TEST                            |
| 380 | BURSTING STRENGTH OF BINDING TAPES               |
| 381 | REPEATED OPENING & CLOSING                       |
| 382 | REPETED OPENING & CLOSING BEFORE AGEING          |
| 383 | PT-SHOES PACKAGE PRICE (INCLUDING TP CRUSH LOAD) |
| 384 | GSM                                              |
| 385 | IDENTIFICATION OF SOLE                           |
| 386 | EYELETS BRASS/ALUMINIUM TEST                     |
| 387 | RUNNING SHOES - PACKAGE                          |
| 388 | PACKAGE PRICE FOR NAVY(ALL TYPE OF FOOTWEAR)     |
| 389 | CONNECTOR PACKAGE PRICE                          |
| 390 | LIGHT FASTNESS - PER HOUR                        |
| 391 | FAT CONTENT                                      |
| 392 | HUMIDITY CYCLING TETS FOR WIRE                   |
| 393 | HEAT AGEING 75 HRS                               |
| 394 | ASSOCIATE MEMBER SHIP                            |
| 395 | DERBY SHOE ITBP > 5                              |
| 396 | TEXTILE TESTING                                  |
| 397 | CUSHIONING PROPERTY                              |
| 398 | SLIP RESISTANCE                                  |
| 399 | THICKNESS                                        |
| 400 | VISUAL OBSERVATION (1000)                        |
| 401 | HEAT & HUMIDITY AGEING (FOR 24 HRS)              |
| 402 | PACKAGE PRICE OXFORD SHOES (POLICE)              |
| 403 | DVS BOOT                                         |
| 404 | DVS BOOT (PACKAGE)                               |
| 405 | GLOVES TESTING                                   |
| 406 | ANKLE BOOT                                       |
| 407 | SOCKS                                            |
| 408 | PACKAGE BOOT ANKLE GP                            |
| 409 | PACKAGE FOR ITBP(DERBY)                          |

|     |                                                     |
|-----|-----------------------------------------------------|
| 410 | INSOLE BOARD SATRA TM 59 (INTERLAB)                 |
| 411 | WASHING TEST 28 % GST (COMPLETE FOOTWEAR)           |
| 412 | 1% INSPECTION CHARGES (KVS)                         |
| 413 | JERSEY PACKAGE PRICE                                |
| 414 | COLOUR FASTNESS TO DRY/WET                          |
| 415 | FOGGING TEST                                        |
| 416 | WHITENESS INDEX                                     |
| 417 | WHITENESS RETENTION                                 |
| 418 | OIL SWELLING (FUEL-B) 48 HRS                        |
| 419 | OIL SWELLING (OIL NO.3) 24 HRS                      |
| 420 | PACKAGE PRICE FOR COAL FIELD                        |
| 421 | WATER REPELLENCY TEST                               |
| 422 | PACKAGE FOR TESTING OF SCHOOL SHOES (U.P.EDUCATION) |
| 423 | LIGHT FASTNESS TEST @ 85RS PER HR.                  |
| 424 | MAKING OF SPECIFICATION                             |
| 425 | SCHOOL SOCKS (U.P.EDUCATION)                        |
| 426 | MAESER FLEXING (30000 CYCLE)                        |
| 427 | DETERMINATION OF TOTAL SOLID CONTENT                |